

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A polycarbonate resin composition comprising:

(A) 100 mass parts of a polycarbonate component, comprising 10 - 100% by mass of (a-1) a polycarbonate-polyorganosiloxane copolymer and 90 - 0% by mass of (a-2) an aromatic polycarbonate; and

(B) 5 - 100 mass parts of a fatty acid polyester component selected from the group consisting of a polylactic acid and a copolymer of hydroxycarboxylic acid and lactic acid.

Claim 2 (Currently Amended): The polycarbonate resin composition as defined in claim 1, wherein the viscosity-average molecular weight of the component (A) is ~~within a range of~~ 10,000 - 40,000.

Claim 3 (Previously Presented): The polycarbonate resin composition as defined in claim 1, wherein the polyorganosiloxane segment of the polycarbonate-polyorganosiloxane copolymer (a-1) is a polydimethylsiloxane.

Claim 4 (Currently Amended): The polycarbonate resin composition as defined in claim 1, wherein ~~which~~ the fatty acid polyester ~~as the~~ component (B) is a polylactic acid ~~or a copolymer of hydroxycarboxylic acid and lactic acid.~~

Claim 5 (Currently Amended): The polycarbonate resin composition as defined in claim 1, ~~wherein~~ further comprising a filler (C) in a positive amount of equal to or less than 40 mass parts ~~of an organic filler is added to~~ 100 mass parts of ~~the~~ polycarbonate component (A).

Claim 6 (Currently Amended): The polycarbonate resin composition as defined in claim 1, ~~wherein~~ further comprising a flame retardant (D) an in a positive amount of equal to or less than 15 mass parts ~~of a flame retardant is added~~ to 100 mass parts of the polycarbonate component (A).


Claim 7 (Currently Amended): The polycarbonate resin composition as defined in claim 1, ~~wherein~~ further comprising a fluorocarbon resin (E) an in a positive amount of equal to or less than 5 mass parts ~~of a fluorocarbon resin is added~~ to 100 mass parts of the polycarbonate component (A).

Claim 8 (Previously Presented): Office automation equipment, information and communication equipment, or electric home appliances comprising a polycarbonate resin composition as defined in claim 1.

Claim 9 (Original): A molded article comprising the polycarbonate resin composition as defined in claim 1.

Claim 10 (New): The polycarbonate resin composition as defined in claim 1, wherein the fatty acid polyester component (B) is a copolymer of hydroxycarboxylic acid and lactic acid.

Claim 11 (New): The polycarbonate resin composition as defined in 1, wherein the polycarbonate-polyorganosiloxane copolymer (a-1) has a terminal group presented by formula (1):




(1)

where  $R^1$  represents an alkyl group having 1 to 35 carbon atoms and  $a$  is an integer of 0 to 5.


Claim 12 (New): The polycarbonate resin composition as defined in 11, wherein the content of the polyorganosiloxane segment in the polycarbonate-polyorganosiloxane copolymer is 0.1 to 4 mass % of the copolymer.

Claim 13 (New): The polycarbonate resin composition as defined in 11, wherein the content of the polyorganosiloxane segment in the polycarbonate-polyorganosiloxane copolymer is 0.3 to 2 mass % of the copolymer.

Claim 14 (New): The polycarbonate resin composition as defined in claim 1, wherein the polycarbonate-polyorganosiloxane copolymer (a-1) has a polycarbonate segment with a structural unit represented by formula (2) and a polyorganosiloxane segment with a structural unit represented by formula (3):




(2)



(3)

where,  $R^3$  and  $R^4$ , which may be the same or different from one another, represent an alkyl or phenyl group having 1 to 6 carbon atoms,  $R^5$  to  $R^8$ , which may be the same or different from one another, represent an alkyl or phenyl group having 1 to 6 carbon atoms,  $R^9$  represents a divalent organic residue containing an aliphatic or aromatic group, Z represents a single bond, an alkylene group having 1 to 20 carbon atoms, an alkylidene group having 1 to 20 carbon atoms, a cycloalkylene group having 5 to 20 carbon atoms, a cycloalkylidene group having 5 to 20 carbon atoms, or a bond of  $--SO_2--$ ,  $--SO--$ ,  $--S--$ ,  $--O--$  or  $--CO--$ , c and d each independently represent an integer of 0 to 4, and n is an integer of 1 to 500.

Claim 15 (New): The polycarbonate resin composition as defined in claim 1, wherein the aromatic polycarbonate (a-2) is present and has a terminal group presented by formula (6):



where  $R^2$  represents an alkyl group having 1 to 35 carbon atoms and b is an integer of 0 to 5.

Claim 16 (New): The polycarbonate resin composition as defined in claim 1, comprising:

(A) 100 mass parts of a polycarbonate component, comprising 20 - 90% by mass of (a-1) a polycarbonate-polyorganosiloxane copolymer and 80 - 10% by mass of (a-2) an aromatic polycarbonate; and

(B) 10 - 50 mass parts of a fatty acid polyester component selected from the group consisting of a polylactic acid and a copolymer of hydroxycarboxylic acid and lactic acid.

Claim 17 (New): The polycarbonate resin composition as defined in claim 1, wherein the fatty acid polyester component (B) is a copolymer of hydroxycarboxylic acid and lactic acid and wherein said hydroxycarboxylic acid is selected from the group consisting of glycolic acid, 3-hydroxybutyric acid, 4-hydroxybutyric acid, 4-hydroxyvaleric acid, 5-hydroxyvaleric acid, and 6-hydroxycaproic acid.

Claim 18 (New): The polycarbonate resin composition as defined in claim 14, wherein the fatty acid polyester component (B) is a polylactic acid.

Claim 19 (New): The polycarbonate resin composition as defined in claim 14, wherein the fatty acid polyester component (B) is a copolymer of hydroxycarboxylic acid and lactic acid and wherein said hydroxycarboxylic acid is selected from the group consisting of glycolic acid, 3-hydroxybutyric acid, 4-hydroxybutyric acid, 4-hydroxyvaleric acid, 5-hydroxyvaleric acid, and 6-hydroxycaproic acid.

Claim 20 (New): The polycarbonate resin composition as defined in claim 14, wherein the polyorganosiloxane segment of the polycarbonate-polyorganosiloxane copolymer (a-1) is a polydimethylsiloxane.